



Scan Here For More Info



ET 40 - Ear Muff

STANDARD: EN352-1

INDUSTRY	IDEAL APPLICATIONS
Cement	Material handling
Steel	Shop floor
Automotive	Wood working
Mining	Drilling
Chemical	Construction & projects

SPECIAL FEATURES				
	4/~	-W-D		
LIGHT WEIGHT	ACTIVE NOISE REDUCTION	HEARING OPTIMIZATION	EAR PROTECTION	

PRODUCT TYPE	HEARING PROTECTION STYLE	ATTENUATION RATING (NRR)	COLOUR	WEIGHT
Earmuff	Head mounted	22 decibel	Red	180 g.

COMPONENT	MATERIAL	ADVANTAGE
Cups	Styrene-butadiene copolymer and Styrene homo-polymer	Large to hold extra materials for use in extreme noise
Inserts	PU (Polyurethane foam)	Provides comfort to the ear
Cushions	PVC (Polyvinyl chloride), polypropylene glycol, calcium carbonate	Used to reduce noise
Cushion cover	PVC	Covered the cushion protect from any damage
Headband	Polycarbonate	Universal fit, can be used over the head

FEATURES
Head mounted earmuff
Made of high impact, heat resistant, moisture & cold proof polypropylene
Headband is adjustable for any standard head size
Adjustable ear-cups with 360 degree rotating headband
Soft foam - filled cushions and large ear cup openings to provide greater protection and comfort.
Polypropylene foam sponge filled air pad, soft $\&$ hygienic muff inside for maximum attenuation of unpleasant air borne noise.
No exposure of metal parts & good workmanship having no sharp edges which may cause injuries to the ear and other parts of body
Light weight & conversant for all day use
Can be used with combination of ear plug

APPLICATION
Can be used to reduce extreme noise
Protects from hearing loss
Also protects dust

STORAGE

Can be stored and transported in their original cartons at ambient temperature (0°C to + 30°C)

May be stored in the dark for up to 1 year $\,$

Do not store in direct / high heat or sunlight as this may distort the shell

CLEANING	PACKING
Clean using soft cloth, do not use water	50 pieces per carton

Udyogi

294, B. B. Ganguly Street, 2nd Floor, Kolkata - 700 012 E-mail: info@udyogi.net

Website: www.udyogisafety.com

Tel.: +91 33 2225 1470/71/72