



## TECHNICAL DATA SHEET

**FKC150K**  
Coverall

### Flash Knight IFR 150 gsm Coverall

#### PRODUCT INTRODUCTION

Flash Knight Inherently Flame Retardant (IFR) coveralls are a crucial element of personal protective equipment (PPE) designed to safeguard workers in environments where exposure to flash fire, flames and heat hazards is a risk. IFR coveralls are made from the fabric that have built-in flame-resistant properties that do not wash or wear out over time. This makes them a reliable choice for industries such as oil and gas, electrical utilities, firefighting, and other sectors where flash fire hazards are prevalent.



#### SPECIAL FEATURES



IFR



WASHABLE



LIGHT WEIGHT



FLEXIBLE



BREATHABLE



DURABLE



SKIN FRIENDLY



QUALITY PRODUCT

STYLE	FABRIC COMPOSITION	TRIM	MARKING
Coverall	100% Inherent Flame Retardant fabric (93% Meta-aramid, 5% Para-aramid, 2% Antistatic)±5%	100% FR Thread FR Velcro Snap Button FR Reflective Tape	Manufacturer Logo Model No. Fabric Composition Certification Size

#### FEATURES

- Skin friendly fabric
- Protection against flash fire
- Protection against radiation heat
- FR performance will never wash out
- The hi-tech fabric will not cause any itchiness & stiffness

#### APPLICATIONS

- Gas filtration
- Daily Work Wear for Fireman / Firefighter
- Plant shut down
- Emergency response
- Electrical Utilities

#### STORAGE

- May be stored in the dark for upto 2 years
- Do not store in direct/high heat or sunlight at this may distort the properties of the fabric
- Can be stored and transported in their original cartons at ambient temperature

#### STORAGE

- Single piece coverall with high collar
- 1" reflective tapes on chest, sleeves and below knee
- 2 chest pockets, 2 side pockets, 1pen pocket on sleeve
- Front adjustment with 2way zipper and snap button & closure with flap

COLOUR	AVAILABLE SIZES	CLEANING	PACKING
Khaki	S, M, L, XL, XXL	Use light detergent for gentle wash	1 pc per packet

#### Udyogi



Scan Here For More Info

## CERTIFICATIONS



2112

Standard on Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposures from fire/flash fire thereby reducing the severity of burn injuries.



EN 1149-5

Test method for materials to be used in the production of protective clothing with electrostatic dissipation for preventing incendiary discharge.



EN ISO 11612

Specifies performance requirements for protective clothing made from flexible materials, which are designed to protect the wearer's body from heat and/or flame, describe in below chart:



EN ISO 11612:2015

CODE	INSPECTION CHARACTERISTIC	STANDARD	LEVELS
A	Limited Flame Spread, Surface Ignition	ISO 15025	1 ( Lowest 1, Highest 3)
	Edge Ignition		2 ( Lowest 1, Highest 3)
B	Convective Heat	ISO 9151	1 ( Lowest 1, Highest 3)
C	Radiant Heat	ISO 6942	1 ( Lowest 1, Highest 4)
F	Contact Heat	ISO 12127	1 ( Lowest 1, Highest 3)



ASTM F1959

Test method used to calculate quantitative results (arc ratings) for FR fabrics. Arc ratings are a measure of thermal protection provided by the fabric in an arc flash.



The above mentioned goods meet the Human-Ecological requirements of the STANDARD 100 by Oeko-Tex presently in ANNEX 4 for products direct contact to skin.



EN 13688

Specifies general performance requirements for ergonomics, innocuousness, size designation, ageing, compatibility and marking of protective clothing and the information to be supplied by the manufacturer with the protective clothing.

## INDUSTRY



Oil & Gas



Automobile



Windmill



Pharmaceutical



Cement



Metal



Automotive



Aerospace

## WASHING INSTRUCTIONS

- Wash at maximum 60°C
- Never use chlorine bleach
- Use liquid detergents only
- Do not iron
- Do not dry clean
- Tumble dry at low heat
- Wash in an industrial washer



## Udyogi

294, B. B. Ganguly Street,  
2nd Floor, Kolkata - 700 012

E-mail : [info@udyogi.net](mailto:info@udyogi.net)  
Website : [www.udyogisafety.com](http://www.udyogisafety.com)

Tel. : +91 33 2225 1470/71/72



**FKC150K**  
Coverall



**IFR COVERALL SIZE CHART**

SIZE	S	M	L	XL	XXL
TOTAL LENGTH	59" 1/2	60" 1/2	61" 1/2	62" 1/2	63" 1/2
CHEST ROUND	43"	44"	45"	46"	47"
SHOULDER	17" 1/2	18" 1/2	19" 1/2	20" 1/2	21" 1/2
SLEEVE LENGTH	23"	23" 1/2	24"	24" 1/2	25"

**Udyogi**

294, B. B. Ganguly Street,  
2nd Floor, Kolkata - 700 012

E-mail : [info@udyogi.net](mailto:info@udyogi.net)  
Website : [www.udyogisafety.com](http://www.udyogisafety.com)

Tel. : +91 33 2225 1470/71/72