



TECHNICAL DATA SHEET

UD 77
Safety Spectacle

Product Introduction:

- Udyogi UD-77 Safety Spectacles are designed to offer protection for workers in different industrial environments.
- These frameless, lightest weight, snug fitting, polycarbonate lenses provides ideal impact protection around the eyes.
- Designed to meet EN 166:2001 standards.



Features:

- Polycarbonate lens with polycarbonate temple provides excellent impact resistant.
- Soft TPR temple tip reduces pressures at point and provides comfort.
- Anti-fog & hard coating on lens ensures that the lenses remain clear even in humid environment and prevents scratches that expands shelf life
- Lens filters out 99.9% of harmful UV light.
- Close-fitting unitary front with dual 9.75 base curvature offers wide and unobstructed vision.
- Incredibly light, resilient & durable protective eyewear for all day wear.

Benefits:

- **Impact Resistance:** The polycarbonate lenses offer resistance to impacts, protecting the eyes from flying particles, sparks, and debris in industrial environments.
- Enhanced Comfort: UD 77 is a lightweight eyewear, reducing strain during prolonged use. Soft TPR temple tip provides extra comfort for long time use.
- **Recyclable:** Polycarbonate is recyclable. After the safety spectacles reach the end of their useful life, they can be recycled, helping to reduce environmental impact.

Udyogi

E-mail: info@udyogi.net Website: www.udyogisafety.com Tel.: +91 33 2225 1470/71/72





Product Specifications:

Model: UD 77 - Safety Spectacle
Lens Component: Polycarbonate
Temple Component: Polycarbonate

Temple Tip: TPR (Thermoplastic Rubber)

Lens option: Clear & Grey

Coating: K (Hard Coat) & N (Anti-fog)

Optical Class: 1

Filter: 2C-1.2 (Clear); 2C-2.5 (Gray)

Impact Resistance: F (45 m/s)

Temple Length: 120 mm.

Width between temple tips: 105 mm.

Hinge to hinge width: 133 mm. Max height of Lens: 40 mm.

Nasal Width: 28 mm. Weight: 25.5 grams.

Packaging: 300 pcs. per carton

Standard: EN 166:2001,CE;

Grey Lens Soft Temple Tip

Applications:

- Protects eyes exposed to medium speed-low-energy impacts.
- Protection from flying rock, dust, debris, cement particles, metal shards, machinery hazards etc.
- Shields against liquid splashes and hazardous materials.

Industry:

These eyewear are utilized for their protective and practical features in various industries such as



Manufacturing



Construction



Railroad Industry



Iron & Steel



Oil & Gas



Power



Marine



FMCG



Logistics



Mining



Plastic Manufacturing



Electronics Manufacturing



Agriculture



Food Processing

Udyogi

E-mail: info@udyogi.net Website: www.udyogisafety.com Tel.: +91 33 2225 1470/71/72





Safety Information:

- Avoid Exposure to High Temperatures although polycarbonate is durable, prolonged exposure to extreme heat may affect its integrity.
- Check the spectacles regularly for any cracks, scratches, or damage. Replace them if the integrity is compromised to ensure continued protection.
- Clean the lenses regularly with a soft, clean cloth to maintain clear vision. For stubborn dirt or chemical residue, use mild soap and water.

Usage Instructions:

- Place the spectacles over your eyes gently, ensuring they fit securely.
- Adjust the temples so the spectacles sit comfortably on your nose & ears
- Ensure the lenses cover your entire eye area, providing maximum protection without obstructing your vision.

Storage:

- Can be stored in the dark for up to 2 years
- Do not store in direct / high heat or sunlight as this may distort the color
- Can be stored and transported in their original cartons at ambient temperature (0° C to +30° C)

Udyogi